1	<u>·                                      </u>	
	Application No.	Applicant(s)
Notice of Alleman illa	09/975,798	MORITA ET AL.
Notice of Allowability	Examiner	Art Unit
	Raymond J. Bayerl	2173
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment and response filed 16 June 2005</u> .		
2. The allowed claim(s) is/are 1, 7 - 15, all other claims canceled.		
3. The drawings filed on 11 October 2001, 29 July 2004 are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawir he header according to 37 CFR 1.121(c	ngs in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	_	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ∐ Interview Summary Paper No./Mail Dat	e
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	_	
4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9. ☐ Other	YMOND J. BAYER
	PR	IIMARY EXAMINER
	• • •	ADT THE EVAININER
	25 JWy 2005	ART UNIT 2173
VS. Patent and Trademark Office PTOL-37 (Rev. 1-04) No	etice of Allowability	Part of Paper No./Mail Date 20050725

Notice of Allowability

Serial Number: 09/975,798 Page 2

Art Unit: 2173

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. The application has been amended as follows:

## In the Abstract:

Line 1—"uni" has been replaced by "unit".

## In the Specification:

Page 5, line 1—"Fig. 9 is another diagram" has been replaced by "Figs. 9A – 9D are diagrams".

- 3. This Examiner's Amendment corrects a typographical error in the abstract and corrects the specification to refer to the figs 9A 9D that actually occur in the drawings.
- 4. The following is an examiner's statement of reasons for allowance:

The Examiner is in general agreement with applicant's assertions in the 16 June 2005 response, regarding the amended independent claims 1, 7, 8—that the inclusion of "rights information including a set of rights, each right associated with" all of "a specific content, an equipment identifier and a control flag which indicates a set of permitted operations" and "an icon chosen among a set of icons...from different forms of icons among the set of icons representative of said permitted operations and the equipment identifier" sufficiently distinguishes the claims over the prior art now made of record. Specifically overcome is the previous 35 USC 103 rejection based upon Schreiber et al. (US #6,298,446 B1) in view of Ahmad (US #5,925,127), where

Serial Number: 09/975,798 Page 3

Art Unit: 2173

Schreiber et al.'s "icon" does not acquire this extent of indication, when supported by a "flag" as per Ahmad.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond J. Bayerl whose telephone number is (571) 272-4045. The examiner can normally be reached on M Th from 9:00 AM to 4:00 PM ET.
- 7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca, can be reached on (571) 272-4048. All patent application related correspondence transmitted by FAX **must be directed** to the central FAX number (571) 273-8300.
- 8. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2100.

RAYMOND J. BAYERL PRIMARY EXAMINER ART UNIT 2173

25 July 2005



